

五常國小飲水機維護紀錄表

編號	安裝位置	型號	區別	濾心規格	濾心更換	機器巡檢	水質檢驗	加熱系統	冷卻系統	殺菌系統	外觀清潔	給排水系統	維護紀錄
1	明德2F會議室	UR-313AS1	A-1			✓	✓	✓	✓	✓	✓	✓	
2	明德2F會計室	UR-313AS1	A-2			✓	✓	✓	✓	✓	✓	✓	
3	明德3F圖書館	UR-313AS1	A-3			✓	✓	✓	✓	✓	✓	✓	
4	活動中心5F	UR-313AS1	A-4			✓	✓	✓	✓	✓	✓	✓	
5	明德1F電梯旁	UR-313AS1	B-1			✓	✓	✓	✓	✓	✓	✓	
6	明德1F車道旁	UR-313AS1	B-2			✓	✓	✓	✓	✓	✓	✓	
7	快樂1F西後門	UR-313AS1	B-3			✓	✓	✓	✓	✓	✓	✓	
8	1F廚房	UR-313AS1	B-4			✓	✓	✓	✓	✓	✓	✓	
9	銀河班	UW-9213	C-1			✓	✓	✓	✓	✓	✓	✓	
10	白雲班	UW-9213	C-2			✓	✓	✓	✓	✓	✓	✓	
11	陽光班	UW-9213	C-3			✓	✓	✓	✓	✓	✓	✓	
12	綠地班	UW-9203	C-4			✓	✓	✓	✓	✓	✓	✓	
13	幼稚園健康中心	UW-20000A	C-5			✓	✓	✓	✓	✓	✓	✓	
14	勤學1F西側樓梯	UR-313AS1	D-1			✓	✓	✓	✓	✓	✓	✓	
15	勤學2F西側樓梯	UR-313AS1	D-2			✓	✓	✓	✓	✓	✓	✓	更換面板貼紙
16	勤學3F西側樓梯	UR-313AS1	D-3			✓	✓	✓	✓	✓	✓	✓	更換面板貼紙
17	勤學4F西側樓梯	UR-313AS1	D-4			✓	✓	✓	✓	✓	✓	✓	更換面板貼紙
18	勤學4F東側樓梯	UR-313AS1	E-1			✓	✓	✓	✓	✓	✓	✓	
19	勤學2F東側樓梯	UR-313AS1	E-2			✓	✓	✓	✓	✓	✓	✓	
20	勤學3F東側樓梯	UW-998	E-3			✓	✓	✓	✓	✓	✓	✓	
21	勤學4F東側樓梯	UR-313AS1	E-4			✓	✓	✓	✓	✓	✓	✓	
22	健康1F西側廁所	UR-313AS1	F-1			✓	✓	✓	✓	✓	✓	✓	
23	健康2F西側廁所	UR-313AS1	F-2			✓	✓	✓	✓	✓	✓	✓	
24	健康2F東側	UR-313AS1	F-3			✓	✓	✓	✓	✓	✓	✓	
25	健康1F東側	UR-313AS1	F-4			✓	✓	✓	✓	✓	✓	✓	
26	健康2F女廁	UR-313AS1	G-1			✓	✓	✓	✓	✓	✓	✓	
27	健康3F女廁	UR-313AS1	G-2			✓	✓	✓	✓	✓	✓	✓	
28	健康3F西側	UR-313AS1	G-3			✓	✓	✓	✓	✓	✓	✓	
29	健康3F東側	UR-313AS1	G-4			✓	✓	✓	✓	✓	✓	✓	
日期：108年1月2日													

機台巡檢數量：29 台

服務員：

客戶簽章：

事務長 關麗芬

五常國小飲水機維護紀錄表

編號	安裝位置	型號	區別	濾心規格	濾心更換	機器巡檢	水質檢驗	加熱系統	冷卻系統	殺菌系統	外觀清潔	給排水系統	維護紀錄
1	明德2F會議室	UR-313AS1	A-1	✓		✓	✓	✓	✓	✓	✓	✓	
2	明德2F會計室	UR-313AS1	A-2	✓		✓	✓	✓	✓	✓	✓	✓	
3	明德3F圖書館	UR-313AS1	A-3	✓		✓	✓	✓	✓	✓	✓	✓	
4	活動中心5F	UR-313AS1	A-4	✓		✓	✓	✓	✓	✓	✓	✓	
5	明德1F電梯旁	UR-313AS1	B-1	✓		✓	✓	✓	✓	✓	✓	✓	
6	明德1F車道旁	UR-313AS1	B-2	✓		✓	✓	✓	✓	✓	✓	✓	
7	快樂1F西後門	UR-313AS1	B-3	✓		✓	✓	✓	✓	✓	✓	✓	
8	1F廚房	UR-313AS1	B-4	✓		✓	✓	✓	✓	✓	✓	✓	
9	銀河班	UW-9213	C-1	✓		✓	✓	✓	✓	✓	✓	✓	
10	白雲班	UW-9213	C-2	✓		✓	✓	✓	✓	✓	✓	✓	
11	陽光班	UW-9213	C-3	✓		✓	✓	✓	✓	✓	✓	✓	
12	綠地班	UW-9203	C-4	✓		✓	✓	✓	✓	✓	✓	✓	
13	幼稚園健康中心	UW-20000A	C-5	✓		✓	✓	✓	✓	✓	✓	✓	
14	勤學1F西側樓梯	UR-313AS1	D-1	✓		✓	✓	✓	✓	✓	✓	✓	
15	勤學2F西側樓梯	UR-313AS1	D-2	✓		✓	✓	✓	✓	✓	✓	✓	
16	勤學3F西側樓梯	UR-313AS1	D-3	✓		✓	✓	✓	✓	✓	✓	✓	
17	勤學4F西側樓梯	UR-313AS1	D-4	✓		✓	✓	✓	✓	✓	✓	✓	
18	勤學4F東側樓梯	UR-313AS1	E-1	✓		✓	✓	✓	✓	✓	✓	✓	
19	勤學2F東側樓梯	UR-313AS1	E-2	✓		✓	✓	✓	✓	✓	✓	✓	
20	勤學3F東側樓梯	UW-998	E-3	✓		✓	✓	✓	✓	✓	✓	✓	
21	勤學4F東側樓梯	UR-313AS1	E-4	✓		✓	✓	✓	✓	✓	✓	✓	
22	健康1F西側廁所	UR-313AS1	F-1	✓		✓	✓	✓	✓	✓	✓	✓	
23	健康2F西側廁所	UR-313AS1	F-2	✓		✓	✓	✓	✓	✓	✓	✓	
24	健康2F東側	UR-313AS1	F-3	✓		✓	✓	✓	✓	✓	✓	✓	
25	健康1F東側	UR-313AS1	F-4	✓		✓	✓	✓	✓	✓	✓	✓	
26	健康2F女廁	UR-313AS1	G-1	✓		✓	✓	✓	✓	✓	✓	✓	
27	健康3F女廁	UR-313AS1	G-2	✓		✓	✓	✓	✓	✓	✓	✓	
28	健康3F西側	UR-313AS1	G-3	✓		✓	✓	✓	✓	✓	✓	✓	
29	健康3F東側	UR-313AS1	G-4	✓		✓	✓	✓	✓	✓	✓	✓	
日期：108年2月11日													

機台巡檢數量：29 台

服務員：楊祐中 2/11

客戶簽章：

廖麗芬 簽



5台 (C 幼兒園)

6台 (A、B、D、E、F、G)

9月底 ⇒ 1台 (C 幼兒園 劉明)

五常國小飲水機維護紀錄表

編號	安裝位置	型號	區別	濾心規格	濾心更換	機器巡檢	水質檢驗	加熱系統	冷卻系統	殺菌系統	外觀清潔	給排水系統	維護紀錄
1	明德2F會議室	UR-313AS1	A-1	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
2	明德2F會計室	UR-313AS1	A-2	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
3	明德3F圖書館	UR-313AS1	A-3	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
4	活動中心5F	UR-313AS1	A-4	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
5	明德1F電梯旁	UR-313AS1	B-1	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
6	明德1F車道旁	UR-313AS1	B-2	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
7	快樂1F西後門	UR-313AS1	B-3	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
8	1F廚房	UR-313AS1	B-4	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
9	銀河班	UW-9213	C-1	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
10	白雲班	UW-9213	C-2	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
11	陽光班	UW-9213	C-3	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
12	綠地班	UW-9203	C-4	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
13	幼稚園健康中心	UW-20000A	C-5	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
14	勤學1F西側樓梯	UR-313AS1	D-1	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
15	勤學2F西側樓梯	UR-313AS1	D-2	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
16	勤學3F西側樓梯	UR-313AS1	D-3	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
17	勤學4F西側樓梯	UR-313AS1	D-4	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
18	勤學4F東側樓梯	UR-313AS1	E-1	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
19	勤學2F東側樓梯	UR-313AS1	E-2	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
20	勤學3F東側樓梯	UW-998	E-3	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
21	勤學4F東側樓梯	UR-313AS1	E-4	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
22	健康1F西側廁所	UR-313AS1	F-1	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
23	健康2F西側廁所	UR-313AS1	F-2	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
24	健康2F東側	UR-313AS1	F-3	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
25	健康1F東側	UR-313AS1	F-4	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
26	健康2F女廁	UR-313AS1	G-1	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
27	健康3F女廁	UR-313AS1	G-2	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
28	健康3F西側	UR-313AS1	G-3	UF61	✓	✓	✓	✓	✓	✓	✓	✓	
29	健康3F東側	UR-313AS1	G-4	UF61	✓	✓	✓	✓	✓	✓	✓	✓	

日期：108年3月5日

機台巡檢數量：29 台

服務員：楊祐帆

客戶簽章：李麗芬

29-6-23

29-6-23

6 1/2 (A-G)

+

= 11 1/2

5 1/2 (C)

2298-1343

五常國小飲水機維護紀錄表

編號	安裝位置	型號	區別	濾心規格	濾心更換	機器巡檢	水質檢驗	加熱系統	冷卻系統	殺菌系統	外觀清潔	給排水系統	維護紀錄
1	明德2F會議室	UR-313AS1	A-1			✓	✓	✓	✓	✓	✓	✓	
2	明德2F會計室	UR-313AS1	A-2			✓	✓	✓	✓	✓	✓	✓	
3	明德3F圖書館	UR-313AS1	A-3			✓	✓	✓	✓	✓	✓	✓	
4	活動中心5F	UR-313AS1	A-4			✓	✓	✓	✓	✓	✓	✓	
5	明德1F電梯旁	UR-313AS1	B-1			✓	✓	✓	✓	✓	✓	✓	
6	明德1F車道旁	UR-313AS1	B-2			✓	✓	✓	✓	✓	✓	✓	
7	快樂1F西後門	UR-313AS1	B-3			✓	✓	✓	✓	✓	✓	✓	
8	1F廚房	UR-313AS1	B-4			✓	✓	✓	✓	✓	✓	✓	
9	銀河班	UW-9213	C-1			✓	✓	✓	✓	✓	✓	✓	
10	白雲班	UW-9213	C-2			✓	✓	✓	✓	✓	✓	✓	
11	陽光班	UW-9213	C-3			✓	✓	✓	✓	✓	✓	✓	
12	綠地班	UW-9203	C-4			✓	✓	✓	✓	✓	✓	✓	
13	幼稚園健康中心	UW-20000A	C-5			✓	✓	✓	✓	✓	✓	✓	
14	勤學1F西側樓梯	UR-313AS1	D-1			✓	✓	✓	✓	✓	✓	✓	
15	勤學2F西側樓梯	UR-313AS1	D-2			✓	✓	✓	✓	✓	✓	✓	
16	勤學3F西側樓梯	UR-313AS1	D-3			✓	✓	✓	✓	✓	✓	✓	
17	勤學4F西側樓梯	UR-313AS1	D-4			✓	✓	✓	✓	✓	✓	✓	
18	勤學4F東側樓梯	UR-313AS1	E-1			✓	✓	✓	✓	✓	✓	✓	
19	勤學2F東側樓梯	UR-313AS1	E-2			✓	✓	✓	✓	✓	✓	✓	
20	勤學3F東側樓梯	UW-998	E-3			✓	✓	✓	✓	✓	✓	✓	
21	勤學4F東側樓梯	UR-313AS1	E-4			✓	✓	✓	✓	✓	✓	✓	
22	健康1F西側廁所	UR-313AS1	F-1			✓	✓	✓	✓	✓	✓	✓	
23	健康2F西側廁所	UR-313AS1	F-2			✓	✓	✓	✓	✓	✓	✓	
24	健康2F東側	UR-313AS1	F-3			✓	✓	✓	✓	✓	✓	✓	
25	健康1F東側	UR-313AS1	F-4			✓	✓	✓	✓	✓	✓	✓	
26	健康2F女廁	UR-313AS1	G-1			✓	✓	✓	✓	✓	✓	✓	
27	健康3F女廁	UR-313AS1	G-2			✓	✓	✓	✓	✓	✓	✓	
28	健康3F西側	UR-313AS1	G-3			✓	✓	✓	✓	✓	✓	✓	
29	健康3F東側	UR-313AS1	G-4			✓	✓	✓	✓	✓	✓	✓	
日期：108年4月2日													

機台巡檢數量：29 台

服務員：楊祐帆

客戶簽章：事發關麗芬

五常國小飲水機維護紀錄表

編號	安裝位置	型號	區別	濾心規格	濾心更換	機器巡檢	水質檢驗	加熱系統	冷卻系統	殺菌系統	外觀清潔	給排水系統	維護紀錄
1	明德2F會議室	UR-313AS1	A-1			✓	✓	✓	✓	✓	✓	✓	
2	明德2F會計室	UR-313AS1	A-2			✓	✓	✓	✓	✓	✓	✓	
3	明德3F圖書館	UR-313AS1	A-3			✓	✓	✓	✓	✓	✓	✓	
4	活動中心5F	UR-313AS1	A-4			✓	✓	✓	✓	✓	✓	✓	
5	明德1F電梯旁	UR-313AS1	B-1			✓	✓	✓	✓	✓	✓	✓	
6	明德1F車道旁	UR-313AS1	B-2			✓	✓	✓	✓	✓	✓	✓	
7	快樂1F西後門	UR-313AS1	B-3			✓	✓	✓	✓	✓	✓	✓	
8	1F廚房	UR-313AS1	B-4			✓	✓	✓	✓	✓	✓	✓	
9	銀河班	UW-9213	C-1			✓	✓	✓	✓	✓	✓	✓	
10	白雲班	UW-9213	C-2			✓	✓	✓	✓	✓	✓	✓	
11	陽光班	UW-9213	C-3			✓	✓	✓	✓	✓	✓	✓	
12	綠地班	UW-9203	C-4			✓	✓	✓	✓	✓	✓	✓	
13	幼稚園健康中心	UW-20000A	C-5			✓	✓	✓	✓	✓	✓	✓	
14	勤學1F西側樓梯	UR-313AS1	D-1			✓	✓	✓	✓	✓	✓	✓	
15	勤學2F西側樓梯	UR-313AS1	D-2			✓	✓	✓	✓	✓	✓	✓	
16	勤學3F西側樓梯	UR-313AS1	D-3			✓	✓	✓	✓	✓	✓	✓	
17	勤學4F西側樓梯	UR-313AS1	D-4			✓	✓	✓	✓	✓	✓	✓	
18	勤學4F東側樓梯	UR-313AS1	E-1			✓	✓	✓	✓	✓	✓	✓	
19	勤學2F東側樓梯	UR-313AS1	E-2			✓	✓	✓	✓	✓	✓	✓	
20	勤學3F東側樓梯	UW-998	E-3			✓	✓	✓	✓	✓	✓	✓	
21	勤學4F東側樓梯	UR-313AS1	E-4			✓	✓	✓	✓	✓	✓	✓	
22	健康1F西側廁所	UR-313AS1	F-1			✓	✓	✓	✓	✓	✓	✓	
23	健康2F西側廁所	UR-313AS1	F-2			✓	✓	✓	✓	✓	✓	✓	
24	健康2F東側	UR-313AS1	F-3			✓	✓	✓	✓	✓	✓	✓	
25	健康1F東側	UR-313AS1	F-4			✓	✓	✓	✓	✓	✓	✓	
26	健康2F女廁	UR-313AS1	G-1			✓	✓	✓	✓	✓	✓	✓	
27	健康3F女廁	UR-313AS1	G-2			✓	✓	✓	✓	✓	✓	✓	
28	健康3F西側	UR-313AS1	G-3			✓	✓	✓	✓	✓	✓	✓	
29	健康3F東側	UR-313AS1	G-4			✓	✓	✓	✓	✓	✓	✓	
日期：108年5月2日													

機台巡檢數量：29 台

服務員：

楊祐帆

客戶簽章：

事務員 麗芬

五常國小飲水機維護紀錄表

編號	安裝位置	型號	區別	濾心規格	濾心更換	機器巡檢	水質檢驗	加熱系統	冷卻系統	殺菌系統	外觀清潔	給排水系統	維護紀錄
1	明德2F會議室	UR-313AS1	A-1	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
2	明德2F會計室	UR-313AS1	A-2	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
3	明德3F圖書館	UR-313AS1	A-3	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
4	活動中心5F	UR-313AS1	A-4	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
5	明德1F電梯旁	UR-313AS1	B-1	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
6	明德1F車道旁	UR-313AS1	B-2	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
7	快樂1F西後門	UR-313AS1	B-3	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
8	1F廚房	UR-313AS1	B-4	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
9	銀河班	UW-9213	C-1	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
10	白雲班	UW-9213	C-2	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
11	陽光班	UW-9213	C-3	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
12	綠地班	UW-9203	C-4	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
13	幼稚園健康中心	UW-20000A	C-5	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
14	勤學1F西側樓梯	UR-313AS1	D-1	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
15	勤學2F西側樓梯	UR-313AS1	D-2	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
16	勤學3F西側樓梯	UR-313AS1	D-3	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
17	勤學4F西側樓梯	UR-313AS1	D-4	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
18	勤學4F東側樓梯	UR-313AS1	E-1	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
19	勤學2F東側樓梯	UR-313AS1	E-2	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
20	勤學3F東側樓梯	UW-998	E-3	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
21	勤學4F東側樓梯	UR-313AS1	E-4	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
22	健康1F西側廁所	UR-313AS1	F-1	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
23	健康2F西側廁所	UR-313AS1	F-2	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
24	健康2F東側	UR-313AS1	F-3	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
25	健康1F東側	UR-313AS1	F-4	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
26	健康2F女廁	UR-313AS1	G-1	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
27	健康3F女廁	UR-313AS1	G-2	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
28	健康3F西側	UR-313AS1	G-3	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
29	健康3F東側	UR-313AS1	G-4	61.64	✓	✓	✓	✓	✓	✓	✓	✓	
日期：108年6月5日													

機台巡檢數量：29 台

服務員：

楊祐帆

客戶簽章：

事務長 閔麗芬

五常國小飲水機維護紀錄表

編號	安裝位置	型號	區別	濾心規格	濾心更換	機器巡檢	水質檢驗	加熱系統	冷卻系統	殺菌系統	外觀清潔	給排水系統	維護紀錄
1	明德2F會議室	UR-313AS1	A-1			✓	✓	✓	✓	✓	✓	✓	
2	明德2F會計室	UR-313AS1	A-2			✓	✓	✓	✓	✓	✓	✓	
3	明德3F圖書館	UR-313AS1	A-3			✓	✓	✓	✓	✓	✓	✓	
4	活動中心5F	UR-313AS1	A-4			✓	✓	✓	✓	✓	✓	✓	
5	明德1F電梯旁	UR-313AS1	B-1			✓	✓	✓	✓	✓	✓	✓	
6	明德1F車道旁	UR-313AS1	B-2			✓	✓	✓	✓	✓	✓	✓	
7	快樂1F西後門	UR-313AS1	B-3			✓	✓	✓	✓	✓	✓	✓	
8	1F廚房	UR-313AS1	B-4			✓	✓	✓	✓	✓	✓	✓	
9	銀河班	UW-9213	C-1			✓	✓	✓	✓	✓	✓	✓	
10	白雲班	UW-9213	C-2			✓	✓	✓	✓	✓	✓	✓	
11	陽光班	UW-9213	C-3			✓	✓	✓	✓	✓	✓	✓	
12	綠地班	UW-9203	C-4			✓	✓	✓	✓	✓	✓	✓	
13	幼稚園健康中心	UW-20000A	C-5			✓	✓	✓	✓	✓	✓	✓	
14	勤學1F西側樓梯	UR-313AS1	D-1			✓	✓	✓	✓	✓	✓	✓	
15	勤學2F西側樓梯	UR-313AS1	D-2			✓	✓	✓	✓	✓	✓	✓	
16	勤學3F西側樓梯	UR-313AS1	D-3			✓	✓	✓	✓	✓	✓	✓	
17	勤學4F西側樓梯	UR-313AS1	D-4			✓	✓	✓	✓	✓	✓	✓	
18	勤學4F東側樓梯	UR-313AS1	E-1			✓	✓	✓	✓	✓	✓	✓	
19	勤學2F東側樓梯	UR-313AS1	E-2			✓	✓	✓	✓	✓	✓	✓	
20	勤學3F東側樓梯	UW-998	E-3			✓	✓	✓	✓	✓	✓	✓	
21	勤學4F東側樓梯	UR-313AS1	E-4			✓	✓	✓	✓	✓	✓	✓	
22	健康1F西側廁所	UR-313AS1	F-1			✓	✓	✓	✓	✓	✓	✓	
23	健康2F西側廁所	UR-313AS1	F-2			✓	✓	✓	✓	✓	✓	✓	
24	健康2F東側	UR-313AS1	F-3			✓	✓	✓	✓	✓	✓	✓	
25	健康1F東側	UR-313AS1	F-4			✓	✓	✓	✓	✓	✓	✓	
26	健康2F女廁	UR-313AS1	G-1			✓	✓	✓	✓	✓	✓	✓	
27	健康3F女廁	UR-313AS1	G-2			✓	✓	✓	✓	✓	✓	✓	
28	健康3F西側	UR-313AS1	G-3			✓	✓	✓	✓	✓	✓	✓	
29	健康3F東側	UR-313AS1	G-4			✓	✓	✓	✓	✓	✓	✓	
日期：108年7月3日													

機台巡檢數量：29 台

服務員：

楊祐帆

客戶簽章：

廖麗芬 組

五常國小飲水機維護紀錄表													
編號	安裝位置	型 號	區別	濾心規格	濾心更換	機器巡檢	水質檢驗	加熱系統	冷卻系統	殺菌系統	外觀清潔	給排水系統	維護紀錄
1	明德2F會議室	UR-313AS1	A-1			✓	✓	✓	✓	✓	✓	✓	
2	明德2F會計室	UR-313AS1	A-2			✓	✓	✓	✓	✓	✓	✓	
3	明德3F圖書館	UR-313AS1	A-3			✓	✓	✓	✓	✓	✓	✓	
4	活動中心5F	UR-313AS1	A-4			✓	✓	✓	✓	✓	✓	✓	
5	明德1F電梯旁	UR-313AS1	B-1			✓	✓	✓	✓	✓	✓	✓	
6	明德1F車道旁	UR-313AS1	B-2			✓	✓	✓	✓	✓	✓	✓	
7	快樂1F西後門	UR-313AS1	B-3			✓	✓	✓	✓	✓	✓	✓	
8	1F廚房	UR-313AS1	B-4			✓	✓	✓	✓	✓	✓	✓	
9	銀 河 班	UW-9213	C-1			✓	✓	✓	✓	✓	✓	✓	
10	白 雲 班	UW-9213	C-2			✓	✓	✓	✓	✓	✓	✓	
11	陽 光 班	UW-9213	C-3			✓	✓	✓	✓	✓	✓	✓	
12	綠 地 班	UW-9203	C-4			✓	✓	✓	✓	✓	✓	✓	
13	幼稚園健康中心	UW-20000A	C-5			✓	✓	✓	✓	✓	✓	✓	
14	勤學1F西側樓梯	UR-313AS1	D-1			✓	✓	✓	✓	✓	✓	✓	
15	勤學2F西側樓梯	UR-313AS1	D-2			✓	✓	✓	✓	✓	✓	✓	
16	勤學3F西側樓梯	UR-313AS1	D-3			✓	✓	✓	✓	✓	✓	✓	
17	勤學4F西側樓梯	UR-313AS1	D-4			✓	✓	✓	✓	✓	✓	✓	
18	勤學4F東側樓梯	UR-313AS1	E-1			✓	✓	✓	✓	✓	✓	✓	
19	勤學2F東側樓梯	UR-313AS1	E-2			✓	✓	✓	✓	✓	✓	✓	
20	勤學3F東側樓梯	UW-998	E-3			✓	✓	✓	✓	✓	✓	✓	
21	勤學4F東側樓梯	UR-313AS1	E-4			✓	✓	✓	✓	✓	✓	✓	
22	健康1F西側廁所	UR-313AS1	F-1			✓	✓	✓	✓	✓	✓	✓	
23	健康2F西側廁所	UR-313AS1	F-2			✓	✓	✓	✓	✓	✓	✓	
24	健康2F東側	UR-313AS1	F-3			✓	✓	✓	✓	✓	✓	✓	
25	健康1F東側	UR-313AS1	F-4			✓	✓	✓	✓	✓	✓	✓	
26	健康2F女廁	UR-313AS1	G-1			✓	✓	✓	✓	✓	✓	✓	
27	健康3F女廁	UR-313AS1	G-2			✓	✓	✓	✓	✓	✓	✓	
28	健康3F西側	UR-313AS1	G-3			✓	✓	✓	✓	✓	✓	✓	
29	健康3F東側	UR-313AS1	G-4			✓	✓	✓	✓	✓	✓	✓	
日期：108年8月5日													

機台巡檢數量： 29 台

服務員：

楊祐帆

客戶簽章：

事務組 關麗芬

五常國小飲水機維護紀錄表

編號	安裝位置	型號	區別	濾心規格	濾心更換	機器巡檢	水質檢驗	加熱系統	冷卻系統	殺菌系統	外觀清潔	給排水系統	維護紀錄
1	明德2F會議室	UR-313AS1	A-1		✓	✓	✓	✓	✓	✓	✓	✓	
2	明德2F會計室	UR-313AS1	A-2		✓	✓	✓	✓	✓	✓	✓	✓	
3	明德3F圖書館	UR-313AS1	A-3		✓	✓	✓	✓	✓	✓	✓	✓	
4	活動中心5F	UR-313AS1	A-4		✓	✓	✓	✓	✓	✓	✓	✓	
5	明德1F電梯旁	UR-313AS1	B-1		✓	✓	✓	✓	✓	✓	✓	✓	
6	明德1F車道旁	UR-313AS1	B-2		✓	✓	✓	✓	✓	✓	✓	✓	
7	快樂1F西後門	UR-313AS1	B-3		✓	✓	✓	✓	✓	✓	✓	✓	
8	1F廚房	UW-9615	B-4		✓	✓	✓	✓	✓	✓	✓	✓	
9	銀河班	UW-9213	C-1		✓	✓	✓	✓	✓	✓	✓	✓	
10	白雲班	UW-9213	C-2		✓	✓	✓	✓	✓	✓	✓	✓	
11	月亮班	UW-9213	C-3		✓	✓	✓	✓	✓	✓	✓	✓	
12	綠地班	UW-9203	C-4		✓	✓	✓	✓	✓	✓	✓	✓	
13	幼稚園健康中心	UW-20000A	C-5		✓	✓	✓	✓	✓	✓	✓	✓	
14	快樂2F	UW-9615	C-6			✓	✓	✓	✓	✓	✓	✓	新裝機 9/9
15	勤學1F西側樓梯	UR-313AS1	D-1		✓	✓	✓	✓	✓	✓	✓	✓	
16	勤學2F西側樓梯	UR-313AS1	D-2		✓	✓	✓	✓	✓	✓	✓	✓	
17	勤學3F西側樓梯	UR-313AS1	D-3		✓	✓	✓	✓	✓	✓	✓	✓	
18	勤學4F西側樓梯	UR-313AS1	D-4		✓	✓	✓	✓	✓	✓	✓	✓	
19	勤學4F東側樓梯	UR-313AS1	E-1		✓	✓	✓	✓	✓	✓	✓	✓	
20	勤學2F東側樓梯	UR-313AS1	E-2		✓	✓	✓	✓	✓	✓	✓	✓	
21	勤學3F東側樓梯	UW-313AS1	E-3		✓	✓	✓	✓	✓	✓	✓	✓	
22	勤學4F東側樓梯	UR-313AS1	E-4		✓	✓	✓	✓	✓	✓	✓	✓	
23	健康1F西側廁所	UW-998	F-1		✓	✓	✓	✓	✓	✓	✓	✓	
24	健康2F西側廁所	UR-313AS1	F-2		✓	✓	✓	✓	✓	✓	✓	✓	
25	健康2F東側	UR-313AS1	F-3		✓	✓	✓	✓	✓	✓	✓	✓	
26	健康1F東側	UR-313AS1	F-4		✓	✓	✓	✓	✓	✓	✓	✓	
27	健康2F女廁	UR-313AS1	G-1		✓	✓	✓	✓	✓	✓	✓	✓	
28	健康3F女廁	UR-313AS1	G-2		✓	✓	✓	✓	✓	✓	✓	✓	
29	健康3F西側	UR-313AS1	G-3		✓	✓	✓	✓	✓	✓	✓	✓	
30	健康3F東側	UR-313AS1	G-4		✓	✓	✓	✓	✓	✓	✓	✓	

日期：108年9月13日

機台巡檢數量：30 台

服務員：

楊祐帆

客戶簽章

事務長 閔麗芬

五常國小飲水機維護紀錄表

編號	安裝位置	型號	區別	濾心規格	濾心更換	機器巡檢	水質檢驗	加熱系統	冷卻系統	殺菌系統	外觀清潔	給排水系統	維護紀錄
1	明德2F會議室	UR-313AS1	A-1			✓	✓	✓	✓	✓	✓	✓	
2	明德2F會計室	UR-313AS1	A-2			✓	✓	✓	✓	✓	✓	✓	
3	明德3F圖書館	UR-313AS1	A-3			✓	✓	✓	✓	✓	✓	✓	
4	活動中心5F	UR-313AS1	A-4			✓	✓	✓	✓	✓	✓	✓	
5	明德1F電梯旁	UR-313AS1	B-1			✓	✓	✓	✓	✓	✓	✓	
6	明德1F車道旁	UR-313AS1	B-2			✓	✓	✓	✓	✓	✓	✓	
7	快樂1F西後門	UR-313AS1	B-3			✓	✓	✓	✓	✓	✓	✓	
8	1F廚房	UW-9615	B-4			✓	✓	✓	✓	✓	✓	✓	
9	銀河班	UW-9213	C-1			✓	✓	✓	✓	✓	✓	✓	
10	白雲班	UW-9213	C-2			✓	✓	✓	✓	✓	✓	✓	
11	月亮班	UW-9213	C-3			✓	✓	✓	✓	✓	✓	✓	
12	綠地班	UW-9203	C-4			✓	✓	✓	✓	✓	✓	✓	
13	幼稚園健康中心	UW-20000A	C-5			✓	✓	✓	✓	✓	✓	✓	
14	快樂2F	UW-9615	C-6			✓	✓	✓	✓	✓	✓	✓	
15	勤學1F西側樓梯	UR-313AS1	D-1			✓	✓	✓	✓	✓	✓	✓	
16	勤學2F西側樓梯	UR-313AS1	D-2			✓	✓	✓	✓	✓	✓	✓	
17	勤學3F西側樓梯	UR-313AS1	D-3			✓	✓	✓	✓	✓	✓	✓	
18	勤學4F西側樓梯	UR-313AS1	D-4			✓	✓	✓	✓	✓	✓	✓	
19	勤學4F東側樓梯	UR-313AS1	E-1			✓	✓	✓	✓	✓	✓	✓	
20	勤學2F東側樓梯	UR-313AS1	E-2			✓	✓	✓	✓	✓	✓	✓	
21	勤學3F東側樓梯	UW-313AS1	E-3			✓	✓	✓	✓	✓	✓	✓	
22	勤學4F東側樓梯	UR-313AS1	E-4			✓	✓	✓	✓	✓	✓	✓	
23	健康1F西側廁所	UW-998	F-1			✓	✓	✓	✓	✓	✓	✓	
24	健康2F西側廁所	UR-313AS1	F-2			✓	✓	✓	✓	✓	✓	✓	
25	健康2F東側	UR-313AS1	F-3			✓	✓	✓	✓	✓	✓	✓	
26	健康1F東側	UR-313AS1	F-4			✓	✓	✓	✓	✓	✓	✓	
27	健康2F女廁	UR-313AS1	G-1			✓	✓	✓	✓	✓	✓	✓	
28	健康3F女廁	UR-313AS1	G-2			✓	✓	✓	✓	✓	✓	✓	
29	健康3F西側	UR-313AS1	G-3			✓	✓	✓	✓	✓	✓	✓	
30	健康3F東側	UR-313AS1	G-4			✓	✓	✓	✓	✓	✓	✓	
日期：108年10月5日													

機台巡檢數量：30 台

服務員：



客戶簽章：



五常國小飲水機維護紀錄表													
編號	安裝位置	型號	區別	濾心規格	濾心更換	機器巡檢	水質檢驗	加熱系統	冷卻系統	殺菌系統	外觀清潔	給排水系統	維護紀錄
1	明德2F會議室	UR-313AS1	A-1			✓	✓	✓	✓	✓	✓	✓	
2	明德2F會計室	UR-313AS1	A-2			✓	✓	✓	✓	✓	✓	✓	
3	明德3F圖書館	UR-313AS1	A-3			✓	✓	✓	✓	✓	✓	✓	
4	活動中心5F	UR-313AS1	A-4			✓	✓	✓	✓	✓	✓	✓	
5	明德1F電梯旁	UR-313AS1	B-1			✓	✓	✓	✓	✓	✓	✓	
6	明德1F車道旁	UR-313AS1	B-2			✓	✓	✓	✓	✓	✓	✓	
7	快樂1F西後門	UR-313AS1	B-3			✓	✓	✓	✓	✓	✓	✓	
8	1F廚房	UW-9615	B-4			✓	✓	✓	✓	✓	✓	✓	
9	銀河班	UW-9213	C-1			✓	✓	✓	✓	✓	✓	✓	
10	白雲班	UW-9213	C-2			✓	✓	✓	✓	✓	✓	✓	
11	月亮班	UW-9213	C-3			✓	✓	✓	✓	✓	✓	✓	
12	綠地班	UW-9203	C-4			✓	✓	✓	✓	✓	✓	✓	
13	幼稚園健康中心	UW-20000A	C-5			✓	✓	✓	✓	✓	✓	✓	
14	快樂2F	UW-9615	C-6			✓	✓	✓	✓	✓	✓	✓	
15	勤學1F西側樓梯	UR-313AS1	D-1			✓	✓	✓	✓	✓	✓	✓	
16	勤學2F西側樓梯	UR-313AS1	D-2			✓	✓	✓	✓	✓	✓	✓	
17	勤學3F西側樓梯	UR-313AS1	D-3			✓	✓	✓	✓	✓	✓	✓	
18	勤學4F西側樓梯	UR-313AS1	D-4			✓	✓	✓	✓	✓	✓	✓	
19	勤學4F東側樓梯	UR-313AS1	E-1			✓	✓	✓	✓	✓	✓	✓	
20	勤學2F東側樓梯	UR-313AS1	E-2			✓	✓	✓	✓	✓	✓	✓	
21	勤學3F東側樓梯	UW-313AS1	E-3			✓	✓	✓	✓	✓	✓	✓	
22	勤學4F東側樓梯	UR-313AS1	E-4			✓	✓	✓	✓	✓	✓	✓	
23	健康1F西側廁所	UW-998	F-1			✓	✓	✓	✓	✓	✓	✓	
24	健康2F西側廁所	UR-313AS1	F-2			✓	✓	✓	✓	✓	✓	✓	
25	健康2F東側	UR-313AS1	F-3			✓	✓	✓	✓	✓	✓	✓	
26	健康1F東側	UR-313AS1	F-4			✓	✓	✓	✓	✓	✓	✓	
27	健康2F女廁	UR-313AS1	G-1			✓	✓	✓	✓	✓	✓	✓	
28	健康3F女廁	UR-313AS1	G-2			✓	✓	✓	✓	✓	✓	✓	
29	健康3F西側	UR-313AS1	G-3			✓	✓	✓	✓	✓	✓	✓	
30	健康3F東側	UR-313AS1	G-4			✓	✓	✓	✓	✓	✓	✓	
日期: 108年11月19日													

機台巡檢數量: 30 台

服務員:

楊祐帆

客戶簽章:

廖麗芬

五常國小飲水機維護紀錄表													
編號	安裝位置	型號	區別	濾心規格	濾心更換	機器巡檢	水質檢驗	加熱系統	冷卻系統	殺菌系統	外觀清潔	給排水系統	維護紀錄
1	明德2F會議室	UR-313AS1	A-1	6164	✓	✓	✓	✓	✓	✓	✓	✓	
2	明德2F會計室	UR-313AS1	A-2	6164	✓	✓	✓	✓	✓	✓	✓	✓	
3	明德3F圖書館	UR-313AS1	A-3	6164	✓	✓	✓	✓	✓	✓	✓	✓	
4	活動中心5F	UR-313AS1	A-4	6164	✓	✓	✓	✓	✓	✓	✓	✓	
5	明德1F電梯旁	UR-313AS1	B-1	6164	✓	✓	✓	✓	✓	✓	✓	✓	
6	明德1F車道旁	UR-313AS1	B-2	6164	✓	✓	✓	✓	✓	✓	✓	✓	
7	快樂1F西後門	UR-313AS1	B-3	6164	✓	✓	✓	✓	✓	✓	✓	✓	
8	1F廚房	UW-9615	B-4	6164	✓	✓	✓	✓	✓	✓	✓	✓	
9	銀河班	UW-9213	C-1	6164	✓	✓	✓	✓	✓	✓	✓	✓	
10	白雲班	UW-9213	C-2	6164	✓	✓	✓	✓	✓	✓	✓	✓	
11	月亮班	UW-9213	C-3	6164	✓	✓	✓	✓	✓	✓	✓	✓	
12	綠地班	UW-9203	C-4	6164	✓	✓	✓	✓	✓	✓	✓	✓	
13	幼稚園健康中心	UW-20000A	C-5	6164	✓	✓	✓	✓	✓	✓	✓	✓	
14	快樂2F	UW-9615	C-6	6164	✓	✓	✓	✓	✓	✓	✓	✓	
15	勤學1F西側樓梯	UR-313AS1	D-1	6164	✓	✓	✓	✓	✓	✓	✓	✓	
16	勤學2F西側樓梯	UR-313AS1	D-2	6164	✓	✓	✓	✓	✓	✓	✓	✓	
17	勤學3F西側樓梯	UR-313AS1	D-3	6164	✓	✓	✓	✓	✓	✓	✓	✓	
18	勤學4F西側樓梯	UR-313AS1	D-4	6164	✓	✓	✓	✓	✓	✓	✓	✓	
19	勤學4F東側樓梯	UR-313AS1	E-1	6164	✓	✓	✓	✓	✓	✓	✓	✓	
20	勤學2F東側樓梯	UR-313AS1	E-2	6164	✓	✓	✓	✓	✓	✓	✓	✓	
21	勤學3F東側樓梯	UW-313AS1	E-3	6164	✓	✓	✓	✓	✓	✓	✓	✓	
22	勤學4F東側樓梯	UR-313AS1	E-4	6164	✓	✓	✓	✓	✓	✓	✓	✓	
23	健康1F西側廁所	UW-998	F-1	6164	✓	✓	✓	✓	✓	✓	✓	✓	
24	健康2F西側廁所	UR-313AS1	F-2	6164	✓	✓	✓	✓	✓	✓	✓	✓	
25	健康2F東側	UR-313AS1	F-3	6164	✓	✓	✓	✓	✓	✓	✓	✓	
26	健康1F東側	UR-313AS1	F-4	6164	✓	✓	✓	✓	✓	✓	✓	✓	
27	健康2F女廁	UR-313AS1	G-1	6164	✓	✓	✓	✓	✓	✓	✓	✓	
28	健康3F女廁	UR-313AS1	G-2	6164	✓	✓	✓	✓	✓	✓	✓	✓	
29	健康3F西側	UR-313AS1	G-3	6164	✓	✓	✓	✓	✓	✓	✓	✓	
30	健康3F東側	UR-313AS1	G-4	6164	✓	✓	✓	✓	✓	✓	✓	✓	
日期：108年12月6日													

機台巡檢數量：30 台

服務員：楊祐帆

客戶簽章：事發關麗芬